JCP Process Document

3	Version 2.10.1 (September 6 2016)	
4		
5 6	Comments to: pmo@jcp.org Copyright (c) 1996 - 2016 Oracle America, Inc.	
7	Copyright (c) 1990 - 2010 Oracle America, inc.	
, 8	CONTENTS	
9	1. EXECUTIVE SUMMARY	3
10	2. DEFINITIONS	
11	3. THE JAVA COMMUNITY PROCESS PROGRAM	
12	3.1 JCP membership	
13	3.1.1 Observer	
14	3.1.2 Partner Member	
15	3.1.3 Associate Member	
16	3.1.4 Full Member	
17	3.1.5 Member Representative	9
18	3.1.6 Membership Fees	9
19	3.2 General procedures	9
20	3.2.1 Expert Group transparency and participation	9
21	3.2.2 Expert Group membership	11
22	3.2.3 JSR deadlines	
23	3.2.4 Compatibility testing	
24	3.2.5 Executive Committee duties	
25	3.2.6 PMO response times	
26	3.2.7 Escalation and appeals	
27	3.3 Initiate a new or revised Specification	
28	3.3.1 Initiate a Java specification request	
29	3.3.2 JSR review	
30	3.3.3 JSR Approval Ballot	
31	3.3.4 Form the Expert Group	
32	3.4 Draft releases	
33	3.4.1 Write the first draft of the Specification	
34	3.4.2 Early Draft Review	
35	3.4.3 Updating the draft during Early Draft Review	
36	3.4.4 Public Review	
37	3.4.5 Public Review Ballot	

38	3.5 Final Release	
39	3.5.1 Proposed Final Draft	
40	3.5.2 Complete the RI and TCK	
41	3.5.3 Establish a first-level TCK Appeals Process	
42	3.5.4 Update the deliverables in response to a TCK appeal	
43	3.5.5 Final Approval Ballot	
44	3.5.6 Final Release	
45	3.6 Maintenance	
46	3.6.1 Maintenance Lead responsibilities	
47	3.6.2 Relinquishing ownership	Error! Bookmark not defined.
48	3.6.3 Maintenance Review	
49	3.6.4 Maintenance Review Ballot	
50	3.6.5 Maintenance Release	
51	3.7 Executive Committee policies and procedures	
52	3.7.1 Scope	
53	3.7.2 Membership	
54	3.7.3 EC duties and responsibilities	
55	3.7.4 EC selection process and length of terms	
56	3.7.5 Selection process for Ratified Seats	21
57	3.7.6 Selection process for Elected and Associate Seats	21
58	3.7.7 JSR ballot rules	
59	APPENDIX A: REVISING THE JCP AND THE JSPA	
60	APPENDIX B: TRANSITIONING TO JCP 2.10	

62 1. EXECUTIVE SUMMARY

The international Java community develops and evolves Java[™] technology specifications using the Java Community Process (JCP.) The JCP produces high-quality specifications using an inclusive, consensus-based approach that produces a Specification, a Reference Implementation (to prove the Specification can be implemented,) and a Technology Compatibility Kit (a suite of tests, tools, and documentation that is used to test implementations for compliance with the Specification.)

Experience has shown that the best way to produce a technology specification is to gather a group of industry experts who have a deep understanding of the technology in question, and for a strong technical lead to work with that group to create a first draft. Agreement on the form and content of the draft is then built using an iterative process that allows an ever-widening audience to review and comment on the document.

- An Executive Committee (EC) representing a cross-section of both major stakeholders and other members of the Java community is responsible for approving the passage of Specifications through the JCP's various stages and for reconciling discrepancies between Specifications and their associated test suites.
- 77 There are four major stages in this version of the JCP:
- INITIATION: A Specification targeted at the desktop/server or consumer/embedded space is initiated by one or more Members and approved for development by the EC. A group of experts is formed to assist the Spec Lead with the development of the Specification.
- DRAFT RELEASES: The Expert Group develops the Specification through an iterative process,
 releasing drafts for public review and comment. After the formal Public Review the EC holds a ballot on whether the JSR should proceed to the Final Release stage.
- FINAL RELEASE: The Spec Lead submits the Specification to the PMO for publication as the Proposed Final Draft. When the RI and TCK are completed, and the RI passes the TCK, the Specification, the RI, and the TCK are submitted to the PMO, which circulates them to the EC for final approval.
- 4. MAINTENANCE: The Specification, Reference Implementation, and Technology Compatibility Kit
 are updated in response to ongoing requests for clarification, interpretation, enhancements, and re visions. The EC reviews proposed changes to the Specification and indicates which can be carried
 out immediately and which should be deferred to a new JSR.
- This version (2.10) of the JCP was developed using the Java Community Process itself by means of JSR 364, which was led by Oracle with all Executive Committee members forming the Expert Group.
- 94

95 2. DEFINITIONS

- 96 **Appeal Ballot:** The EC ballot to override a first-level decision on a TCK test challenge.
- Associate Member: An individual who wishes to participate independently in the activities of the
 JCP without requiring an employer's permission.
- 99 Associate Membership Agreement: The membership agreement signed by Associate Mem-100 bers.
- Associate Seat: An Executive Committee seat filled by the election process described in sec-tion 3.7.6.

- 103 Ballot: See Appeal Ballot, Final Approval Ballot, Final Approval Reconsideration Ballot, JSR Ap-
- 104 proval Ballot, JSR Reconsideration Ballot, JSR Renewal Ballot, JSR Renewal Reconsideration
- 105 Ballot, JSR Withdrawal Ballot, Maintenance Review Ballot, Maintenance Renewal Ballot,
- 106 Maintenance Release Withdrawal Ballot, Public Review Ballot, Public Draft Specification Recon-
- 107 sideration Ballot, Transfer Ballot. Unless otherwise noted in this document all Ballots last for 14
- 108 days.
- Contributor Agreement: A legal agreement defining the terms, particularly those concerning
 the grant of intellectual property rights, under which contributions are made to a project.
- 111 **Contributor:** A JCP Member who is not a member of an Expert Group but who at the Spec
- 112 Lead's discretion is formally recognized as having contributed to the JSR.
- Dormant Specification (Dormant): A Specification that the PMO has determined has no as signed Specification Lead or Maintenance Lead, or that is not being actively developed and on
 which no further development is anticipated.
- Early Draft Review: A 30 to 90 day period during which the public reviews and comments onthe draft Specification.
- 118 Elected Seat: An Executive Committee seat filled by the election process described in section3.7.6.
- 120 **Employer Contribution Agreement:** An agreement that must be signed by the employer of an 121 individual Full Member in which the employer makes certain IP commitments with respect to the 122 employee's participation in the JCP.
- 123 **Executive Committee (EC)**: The Members who guide the evolution of the Java technologies.
- 124 The EC represents a cross-section of both major stakeholders and other Members of the Java
- 125 community. EC members are selected in an annual election process. The EC Policies and Pro-
- 126 cedures are specified in the EC Standing Rules, which is a separate document.
- 127 Expert Group (EG): The group of JCP Members who develop or make significant revisions to a128 Specification.
- Final Approval Ballot: The EC ballot to approve the Final Draft along with its associated RI andTCK.
- Final Approval Reconsideration Ballot: The EC ballot to reconsider an initial rejection of a Fi-nal Draft, RI, and TCK.
- **Final Draft**: The final draft of the Specification that will be put forward for EC approval.
- Final Release: The final stage in the JSR development process when the Specification, RI, and
 TCK have been completed and can be licensed by implementers.
- First-Level TCK Appeals Process: The process defined by the Spec Lead that allows imple menters of the Specification to appeal one or more tests defined by the Specification's TCK.
- **Full Member:** A corporation, organization, or individual who has signed the JSPA in order to obtain full membership rights within the JCP.

- 140 **Issue:** an explicit reference to an item defined in an Issue Tracker.
- 141 **Issue List:** A list of Issues generated from an Issue Tracker, identifying the disposition of each.

142 Issue Tracker: A mechanism to allow issues (problems, tasks, comments, or requests for 143 change) to be recorded and tracked by priority, status, owner, or other criteria. The Issue Tracker 144 should permit issues to be identified by states such as open, resolved, and closed and should 145 support the assignment of resolution types such as deferred (postponed to a follow-on release,) 146 fixed (implemented,) challenged (no satisfactory resolution,) and rejected (deemed inappropriate 147 or out of scope.)

- Java Community Process (JCP): The formal process described in this document for develop ing or revising Java technology Specifications.
- Java Community Process Member (Member): A company, organization, or individual that has
 signed a Membership Agreement and is abiding by its terms.
- Java Specification (Specification): A written specification for some aspect of the Java technol ogy. This includes the language, virtual machine, Platform Editions, Profiles, and application
 programming interfaces.
- Java Specification Request (JSR): The document submitted to the PMO by one or more
 Members to propose the development of a new Specification or a significant revision to an exist ing Specification.
- Java Specification Participation Agreement (JSPA): A one-year renewable agreement be tween Oracle America and a company, organization or individual that allows the latter entities to
 participate in the Java Community Process as a Full Member.
- JCP Website: The website where the public can stay informed about JCP activities, download
 draft and final Specifications, and follow the progress of Specifications through the JCP.
- **JSR Approval Ballot:** A two-week EC ballot to determine if the initial JSR submission should beapproved.
- 165 JSR Reconsideration Ballot: The EC ballot to determine if a revision of an initial JSR submis-166 sion should be approved.
- 167 JSR Page: The web page on the JCP Website where the JSR's history is recorded and where168 other relevant information about the JSR is published.
- 169 **JSR Renewal Ballot**: An EC ballot to confirm that a JSR should continue in its work.
- **JSR Renewal Reconsideration Ballot:** An EC ballot to determine if a revised JSR should con-tinue its work.
- 172 **JSR Review:** A two- to four-week period (the length to be set at the discretion of the submitter)
- during which the public can review and comment on a proposed new JSR before the JSR Ap-proval Ballot.

- JSR Withdrawal Ballot: An EC ballot to confirm that a completed JSR that appears to havebeen abandoned should be withdrawn.
- Licensor Name Space: The public class or interface declarations whose names begin with "ja va", "javax", "com.sun" (or "com.Your name" if You are the Specification Lead) or their equiva lents in any subsequent naming convention adopted by Oracle.
- Maintenance Lead (ML): The Member Representative or individual JCP Member responsible
 for maintaining the Specification.
- Maintenance Release: The final stage in the JSR maintenance process when the Specification,
 RI, and TCK have been updated and can be licensed by implementers.
- Maintenance Review: A period 14 or 30 days prior to finalization of a Maintenance Release
 when Members and the public consider and comment on the change the Maintenance Lead
 proposes to include in the release, as identified in the associated Issue List.
- Maintenance Review Ballot: An EC ballot to determine whether the changes and time line pro posed by a Maintenance Lead are appropriate for a Maintenance Release.
- 189 Maintenance Renewal Ballot: a ballot during which EC members vote on whether to permit a 190 Maintenance Lead to extend the deadline for delivery of materials for Maintenance Release, or 191 whether the previous Maintenance Review should be rescinded and the ML be required to start 192 the process again.
- Maintenance Release Withdrawal Ballot: An EC ballot to confirm that a completed Mainte nance Release that appears to have been abandoned should be withdrawn.
- Member: See Associate Member, Full Member, Java Community Process Member, Member
 Representative, Partner Member.
- 197 Member Representative: An individual who is an employee of or who has a contractual rela-198 tionship with a Full Member and who is authorized by that Member to represent its interests with-199 in the JCP.
- Membership Agreement: See Associate Membership Agreement, JSPA, Partner Membership
 Agreement.
- Observer: An individual who is not a member of the JCP but who takes advantage of the JCP's
 transparency mechanisms to observe and/or comment on Expert Group activities.
- Partner Member: A non-profit organization that is unwilling or unable (since it is not a legal enti ty) to sign the JSPA but which nevertheless wishes to promote and to participate in the activities
 of the JCP.
- Partner Membership Agreement: The membership agreement signed by non-profit organiza tions that are not legal entities, and therefore ineligible to sign the JSPA.
- Platform Edition Specification (Platform Edition): A Specification that defines a baseline API
 set that provides a foundation upon which applications, other APIs, and Profiles can be built.
 There are currently three Platform Edition Specifications: Java SE, Java EE, and Java ME.

- 212 Profile Specification (Profile): A Specification that references one of the Platform Edition Spec-
- 213 ifications and zero or more other JCP Specifications (that are not already a part of a Platform
- 214 Edition Specification.) APIs from the referenced Platform Edition must be included according to
- the referencing rules set out in that Platform Edition Specification. Other referenced Specifica-
- tions must be referenced in their entirety.
- Program Management Office (PMO): The group within Oracle that is responsible for adminis tering the JCP and chairing the EC.
- Proposed Final Draft: The version of the draft Specification that will be used as the basis forthe RI and TCK.
- Public Draft Specification Reconsideration Ballot: The EC ballot to determine if a revised
 draft should proceed after Public Review.
- Public Review: A 30 to 90 day period when the public can review and comment on the draftSpecification.
- 225 **Public Review Ballot:** The EC ballot to determine if a draft should proceed after Public Review.
- Ratified Seat: An Executive Committee seat filled by the ratification process described in sec-tion 3.7.5.
- Reference Implementation (RI): The prototype or "proof of concept" implementation of a Specification.
- 230 **Release**: A Final Release or a Maintenance Release
- 231 **Specification:** See Java Specification.
- Specification Lead (Spec Lead): The Member Representative or individual JCP Member who
 leads an Expert Group and who is responsible for its deliverables as defined in this Process
 Document.
- Technology Compatibility Kit (TCK): The suite of tests, tools, and documentation that is used
 to determine if an implementation of a JSR complies with the Specification.
- Transfer Ballot: The EC ballot to approve transfer of ownership of a Specification, RI, and TCK
 from one JCP Member to another. (Transfer of ownership does not mean transfer of IP rights,
 only the right to start again. The new Spec Lead can, however, negotiate a transfer of IP with the
 old Spec Lead.)
- 241 Umbrella Java Specification Request (UJSR): A JSR that defines or revises a Platform Edition
 242 or Profile Specification. A UJSR proceeds through the JCP like any other JSR.
- The terms "must", "must not", "required", "shall", "shall not", "should", "should not", "recommended", "may" and "optional" are used in this document in accordance with the IETF's <u>RFC 2119</u>.
- The use of the term **day** or **days** in this document refers to calendar days unless otherwise specified.

3. THE JAVA COMMUNITY PROCESS PROGRAM 247

248

3.1 JCP membership 249

250 In order to enable the broadest possible participation in the work of the JCP several different roles and 251 membership levels have been defined.

3.1.1 Observer 252

253 Individuals need not sign a formal JCP Membership Agreement in order to observe and comment on 254 Expert Group activities, since they may take advantage of the JCP's transparency mechanisms such 255 as public mailing lists and Issue Trackers. Information on how to provide feedback can be found on the 256 JSR's collaborative project page (a pointer to that page is provided on the JSR page at icp.org). Observers are not eligible to join Expert Groups, to run for election to the Executive Committee, or to vote 257 258 in the JCP's annual elections.

259 3.1.2 Partner Member

260 Non-profit organizations such as Java User Groups that are unwilling or unable (because they are not legal entities) to sign the JSPA may sign a simplified Partner Membership Agreement that focuses on 261 262 the promotion of JCP activities in collaboration with JCP Members and the PMO.

263 Partner Members cannot act as a Spec Lead or serve on most Expert Groups, but they are eligible to run for election to the Executive Committee. If elected, in their role as Executive Committee members 264 265 they may serve as members of the Expert Group for JSRs whose focus is redefining the JCP's organi-266 zation and "constitution" through the process described in Appendix A. Partner Members have the same voting rights as Full Members. 267

3.1.3 Associate Member 268

269 An individual who is unwilling or unable to sign the JSPA may sign an Associate Membership Agreement in order to participate in the activities of the JCP. (Organizations are ineligible for this class of 270 271 membership.) The Associate Membership Agreement is simpler than the JSPA, and involves only a 272 personal IP commitment. No employer signature is required.

273 Associate Members cannot act as a Spec Lead, join an Expert Group, or run for election to the Execu-274 tive Committee. They are eligible to vote for Associate Executive Committee seats but are not eligible 275 to vote for Ratified or Elected Seats. At the Spec Lead's discretion Associate members can be formally 276 recognized by being listed as Contributors to a JSR.

3.1.4 Full Member 277

- 278 This class of membership is open to corporations, non-profit organizations that are legal entities, self-279 employed and unemployed individuals, students, and some employed individuals. The JSPA is the 280 membership agreement for Full Members.
- 281 Non-employed individuals and university staff are eligible for Full Membership if they are legally able 282 to license their own IP and can therefore sign the JSPA on their own behalf.

283 Employed individuals are eligible for Full Membership if their employer is willing to sign an Employer 284 Contribution Agreement (no Employer Contribution Agreement is required from university staff). Such 285 individuals should register with their employee email address rather than with a personal email ad-286 dress in order to enable the PMO to track changes in employment status. They should also agree to 287 inform the PMO when they change employers.

288 Full members may act as a Spec Lead, join an Expert Group, and run for election to any class of seat 289 on the EC. Full members may vote for Ratified and Elected Seats on the EC but not for Associate 290

Seats.

291 3.1.5 Member Representative

Employees and other individuals who have a contractual relationship with Full Members may be authorized by the Full Member to represent its interests within the JCP by acting as a Spec Lead, serving on an Expert Group, or running for the EC. These Members should register with their employee email address rather than with a personal email address in order to enable the PMO to track changes in employment. They should also agree to inform the PMO when they change employers.

297 3.1.6 Membership Fees

In anticipation of changes proposed for the next version of the JSPA the PMO commits to waiving membership fees for commercial organizations as it currently does for non-profit organizations. Consequently, under JCP 2.10 there will be no fees for any class of membership.

301 3.2 General procedures

302 **3.2.1 Expert Group transparency and participation**

Each Expert Group is free to use the working style that it finds most productive and appropriate, so long as this is compatible with the requirements specified in this document. For example, an EG may choose to move forward only when there is general agreement among its members, or by voting on issues when there is disagreement.

307 As specified below, Expert Groups must operate in a transparent manner, enabling and encouraging

308 Members and the public to observe their deliberations and to provide feedback. One useful way to en-

309 courage broad participation is to encourage Members (particularly Associate Members) to become

310 Contributors to the JSR. Partner Members such as Java User Groups may be helpful in identifying po-311 tential Contributors.

312 The EG must take into consideration and publicly respond to all significant feedback. EGs must main-

tain a publicly-accessible document archive from which all of their working materials such as source

documents, meeting agendas, minutes, and draft documents can be accessed. The EC should take

the Expert Group's transparency record into consideration when voting on its JSR.

316 In the initial JSR submission the Spec Lead must specify the transparency mechanisms (for example,

317 the communication mechanisms and Issue Tracker) that the Expert Group intends to adopt, and must

318 provide the URLs for accessing the chosen collaboration tools. The Spec Lead must also provide a

pointer to any Terms of Use required to use the collaboration tools so that the EC and prospective EG

- 320 members can judge whether they are compatible with the JSPA.
- The PMO will publish this information on the JSR Page, and will require the EG to provide updated information on the actual progress of the JSR throughout its lifetime. That information will also be published.
- When voting to approve a JSR's transition to the next stage EC members should take into consideration the extent to which the Spec Lead is meeting the JCP's transparency requirements.

326 **3.2.1.1 Intellectual property considerations**

Spec Leads should be aware of their obligations to license the output of their JSR and to make certain patent grants on the terms defined in the JSPA. Incorporating feedback provided through public email lists or forums without ensuring that the provider has signed a Membership Agreement or an equivalent Contributor Agreement may make it impossible to meet these requirements or may expose the Spec Lead to legal liability.

332 3.2.1.2 Confidentiality

333 The use of *Confidential Information* (as defined in the JSPA) limits transparency, is strongly discour-

aged, and will be prohibited in a future version of the Process. If the Spec Lead intends to permit the

use of Confidential Information (such as emails, drafts, or submissions marked as *Confidential*) this must be specified in the initial Java Specification Request.

337 **3.2.1.3 Public communications**

Expert Groups may choose to keep purely administrative matters private, but all substantive business must be performed in a manner that allows the public to observe their work and to respond to it. All proceedings, discussions, and working documents must be published, and a mechanism must be established to allow the public to provide feedback. One common way of meeting these requirements is through the use of mailing lists, but other alternatives such as blogs, Wikis, and discussion forums may be preferred. Whatever communication mechanisms are chosen, these must include an archiving function so that a record of all communications is preserved. Archives must be readable by the public.

345 **3.2.1.4 Issue tracking**

346 Issues must be tracked through a publicly readable Issue Tracker. The Expert Group may choose to 347 use a publicly writable Issue Tracker, thereby permitting the public to log issues directly, or alternative-348 ly to identify formal comments in some other manner and to enter them into the Issue Tracker on be-349 half of the submitter. Whatever mechanism is used, a publicly-readable audit trail of all comments and 350 Issues must be maintained.

Whenever a Spec Lead or a Maintenance Lead submits materials to the PMO for review or ballot they must also provide an Issue List indicating the disposition of all of the Issues that have been logged against the JSR. Issues logged late in the review cycle may be deferred for later consideration, and Issues that are blatantly off-topic or that appear to have been submitted maliciously or erroneously may be ignored.

In order to enable EC members to judge whether Issues have been adequately addressed, the Issue
List must make a clear distinction between Issues that are still open, Issues that have been deferred,
and those that are closed, and must indicate the reason for any change of state.

359 The PMO shall publish the Issue List or a pointer to it together with the other materials.

EC members should review the supplied Issue List and take it into consideration when casting their ballot. If they have any reservations or concerns about a 'yes' vote, or if they wish to vote 'no,' they must accompany their ballot with comments which reference one or more Issues (perhaps logged by them) that they would like to see addressed in the future. EC members should vote 'no' if they believe that the Spec Lead or Maintenance Lead has not adequately addressed all Issues including those that have been rejected or otherwise closed by the Expert Group.

366 **3.2.1.5 Changes to licensing terms**

As described in Section 3.3.2.1 below, the proposed licensing terms must be disclosed during JSR
submission. The Specification license must not be modified after initial submission since to do so
could invalidate IP grants. It may be necessary, however, to modify the proposed RI or TCK license.
Any such changes must be disclosed when the Specification is next submitted to the PMO for public
posting or review.

372 For as long as a JSR is licensed and while it is legally possible to do so the Spec Lead must offer the RI and TCK licenses that were published at the time of Final Release, with the exception that reason-373 374 able increases in price are permitted. At subsequent Maintenance Releases alternate RI or TCK li-375 censes may also be offered so long as all changes are disclosed, but licensees must be free to 376 choose the original terms if they wish. For example, existing licensees who do not wish to accept a modified license when required to adopt a newer TCK shall have the option to license the updated 377 378 TCK under the previous terms. If a JSR changes hands the new Maintenance Lead must present a 379 license with terms comparable to, or more favorable to licensees than the existing license.

380 When a newer version of a technology is created through a follow-on JSR, the Specification, RI, and 381 TCK license terms for the new JSR may differ from those offered for the previous JSR, but any such changes must be disclosed during JSR submission. The original terms for the previous JSR must beoffered for as long as that JSR is licensed.

384 3.2.2 Expert Group membership

385 3.2.2.1 Expert Group composition

There is no size limit on the Expert Group. The Spec Lead may add additional members at any time so long as existing EG members are consulted. New members may be added, for example, to increase diversity of opinion.

Any JCP Full Member or Member Representative may request to join an Expert Group at any time by submitting their nomination via the online form provided on the JSR Page. Details of such requests, including the organizational affiliation of the requester, together with the Spec Lead's official response, substantive deliberations within the EG about the matter, and any other official decisions related to EG membership must be published through the EG's public communication channel.

394 JCP Members who are not members of the Expert Group may inform the Spec Lead at any time of 395 their interest in contributing to the work of the Expert Group with the possibility of being formally rec-396 ognized as Contributors.

The PMO will ensure that the JSR Page lists the Members who are members of the EG together with the names of individual Member Representatives where appropriate. At the Spec Lead's discretion Members who are Contributors to the work of the JSR will also be listed together with their Partner Member affiliation where appropriate.

401 **3.2.2.2 Withdrawal of a member from the Expert Group**

An EG member may withdraw from the Expert Group at any time. If the withdrawing member is the Spec Lead, the Expert Group, with the help of the PMO, should approach the Member who originally contributed the Spec Lead, if any, and request them to provide a suitable replacement; if no such replacement is forthcoming, the Expert Group should choose one of its current members as the new Spec Lead. If the withdrawing member is not the Spec Lead, the Spec Lead should approach the member's organization (if any) to find a suitable replacement.

3.2.2.3 Disruptive, uncooperative or unresponsive Expert Group members

409 There may be rare instances when members of the Expert Group feel that one of their fellow members 410 is not acting in ways that advance the work of the Expert Group, and is being disruptive, uncoopera-411 tive or unresponsive. EG members are expected to make a reasonable effort to resolve any such is-412 sues among themselves, with the active help of the Spec Lead. However, if the situation cannot be 413 resolved in a timely manner, any three members of the EG can approach the Spec Lead and request 414 that the EG member in question be excluded from further participation in the EG. If the Spec Lead 415 agrees to the request he can then do so. In the case where the EG member in guestion is a Member 416 Representative, the Spec Lead must first request that the Member replace its representative. If the 417 Member does not do so in a timely manner, the Spec Lead can exclude the Member itself from further 418 EG participation. The Spec Lead's decision as to whether or not to exclude can be appealed to the EC 419 by following the process outlined in Section 3.2.7, "Escalation and Appeals" 3.2.2.4 Unresponsive or inactive Spec Lead 420

There may be rare instances when members of the Expert Group feel that the Spec Lead is not acting in ways that advance the work of the Expert Group and is being unresponsive or inactive. The EG is expected to make a reasonable effort to resolve any such issues in a timely manner. However, if the situation cannot be resolved these concerns should be brought to the attention of the EC as quickly as possible so they may be proactively addressed and resolved.

426 If the problems cannot be resolved informally, any three members of the EG may request the EC to

427 replace the Spec Lead. All such requests must clearly state the cause of the concern and provide all

necessary evidence. If the EC agrees that there is cause, it may ask the PMO to replace the Spec
Lead. If the Spec Lead is a Member Representative the PMO shall ask the Member to replace the
Spec Lead. If the Member declines to do so the PMO shall seek an alternative Spec Lead, in which
case the EC must conduct a Transfer Ballot as specified in section 3.2.2.5 of this document. If no Spec
Lead replacement can be found, the EC shall initiate a JSR Renewal Ballot to determine whether the
JSR should be shut down.

434 **3.2.2.5 Relinquishing ownership**

435 If a Spec Lead or Maintenance Lead decides to discontinue his or her work at any time (including dis-436 continuing maintenance activities or declining to take on the role of Spec Lead during a significant re-437 vision initiated by a new JSR) they should, with the assistance of the PMO, make a reasonable effort 438 to locate another Member who is willing to take on the task. If a replacement is identified the PMO 439 must initiate a Transfer Ballot within 30 days to enable EC members to approve the transfer of respon-440 sibilities. If the ballot succeeds, the new lead must assume his or her responsibilities within 30 days. In order to facilitate such a transfer of responsibilities the outgoing lead is strongly encouraged to transfer 441 442 all its Intellectual Property rights in the existing JSR to the new lead.

If no replacement can be found, or if the Transfer Ballot fails, then the PMO shall declare the Specification to be Dormant and no further work can be carried out. No further Transfer Ballots will be initiated by the PMO unless a Member volunteers to take on the lead role, in which case the PMO will again have 30 days to initiate a Transfer Ballot.

447 3.2.3 JSR deadlines

If a JSR does not begin Early Draft Review within 9 months of completing its JSR Approval Ballot, or does not begin Public Review within 12 months of first submitting an Early Draft, or does not reach Final Release within 12 months of commencing Public Review, then the EC shall initiate a JSR Renewal Ballot. The PMO shall inform the Spec Lead and Expert Group of this decision and will request the Spec Lead and Expert Group to prepare a public statement to the EC. The JSR Renewal Ballot shall start 30 days after the request. If the JSR Renewal Ballot is approved by the EC, then another renewal ballot cannot be initiated for that JSR for an additional year.

The Spec Lead may also voluntarily request that the JSR be declared Dormant. Under these circumstances a JSR Renewal Ballot must be held in order for the Expert Group to resume its activities at a future date.

If a JSR Renewal Ballot fails the Expert Group will have 30 days to update the JSR in response to the concerns raised by the EC, and may submit a revised version to the PMO. If a revised JSR is not received by the end of the 30 days, the original decision by the EC shall stand and the JSR shall be closed. If a revision is received, then the PMO shall forward it to the EC and initiate a JSR Renewal Reconsideration Ballot. At the close of balloting, all comments submitted by EC members, together with their ballots shall be circulated to the Expert Group by the PMO. If this ballot fails, the JSR shall be closed and the Expert Group shall disband.

If a JSR that is closed through these processes was a revision to an existing Specification, the SpecLead shall resume the role of Maintenance Lead of the current Specification.

467 **3.2.4 Compatibility testing**

468 **3.2.5 The Spec Lead is responsible for defining the process whereby the**

469 TCK is used to certify implementations of the JSR as compatible. After the

- 470 JSR is completed the Maintenance Lead must submit to the PMO at least
- 471 quarterly a list of all implementations that have been certified as compati-
- ble and that have been released publicly or commercially. The PMO will
- 473 publish this information on the JCP Website. If the Maintenance Lead

474 submits the information in the form of a pointer to an already published

475 list the PMO may choose simply to reference that list rather than duplicate

476it.Executive Committee duties

477 **3.2.5.1 Transparency**

All substantive Executive Committee business should be conducted in the most transparent manner
possible. EC transparency requirements are specified in a separate document, the EC Standing
Rules.

481 **3.2.5.2 Draft reviews**

482 During JSR reviews EC members are strongly encouraged to ensure that one or more technical mem-483 bers of their organizations review the draft and provide feedback to the Expert Group. EC feedback is 484 particularly important to the Expert Group, and EC members are encouraged not to wait until ballot 485 periods to raise concerns and issues.

486 **3.2.6 PMO response times**

487 Materials to be posted on the JCP Website for review, comment, or any other official EG or EC busi-488 ness should be submitted to the PMO, which shall post them on the JCP Website and announce their 489 availability to Members and the public within seven days of receipt (holiday closures excepted.)

490 **3.2.7 Escalation and appeals**

491 Unless otherwise specified in this document, any EG member can appeal to the EC regarding a decision, an action, or inaction by the PMO, a Spec Lead, or a Maintenance Lead that affects EG partici-492 493 pation or issue-resolution and which cannot be resolved by other reasonable means. An appeal must 494 be initiated by sending an email message to the PMO (pmo@jcp.org) in all cases, even if it affects the PMO itself. The message must describe the issue under appeal clearly and concisely, with a short and 495 496 relevant subject line, and must provide all relevant documentation to support the appeal. The PMO shall transmit the message to the EC no later than seven days after receipt. The EC shall then re-497 498 spond to the appellant within 30 days, either with a resolution or with a request for clarification and/or further documentation. 499

500 3.3 JSR Initiation

3.3.1 Initiate a Java Specification Request

502 One or more Full Members may initiate a request to develop a new Specification, or carry out a signifi-503 cant revision to an existing one, by submitting a JSR proposal through the JCP Website, as described 504 in the Spec Lead Guide. Upon request to the PMO any JSR proposal may be withdrawn by the sub-505 mitter(s) without explanation prior to the completion of the JSR Approval Ballot.

- 506 The following information must be provided with each JSR:
- the Members making the request (the submitters,) the proposed Spec Lead, the initial members
 of the Expert Group, and the names of potential Contributors,
- a description of the proposed Specification,
- the reason(s) for developing or revising it,
- the primary Platform Edition, as well as any consideration given to other Platform Editions,
- an estimated development schedule,
- any preexisting documents, technology descriptions, or implementations that might be used as a starting point,
- a transparency plan, which outlines the tools and techniques that the Spec Lead will use during
 the development of the Specification to communicate with and seek feedback from JCP Mem bers and the public.

- 518 At the PMO's discretion JSR submissions may be required to include a completed JSR Review Pro-
- 519 cess questionnaire or presentation that provides information about the goals of the JSR and the pro-
- 520 cesses that the Expert Group plans to use during its development.

521 **3.3.1.1 Revise existing Specifications**

522 Existing Specifications, together with their associated RIs and TCKs, are maintained by a designated 523 Maintenance Lead using the processes described in section 3.6 of this document. Maintenance Leads 524 are expected to assume long-term ownership of the Specification, RI, and TCK while respecting the 525 wishes of JCP Members regarding evolution. Maintenance Leads shall therefore be the Spec Leads 526 for all significant revisions to their Specifications, but they shall not have the exclusive right to decide 527 when a significant revision will take place. That shall be decided by the EC in response to a revision 528 JSR that can be initiated by any JCP Member. Submitter(s) should make a reasonable effort to recruit 529 members of the previous Expert Group to join any such revision effort.

530 **3.3.1.2 Protect the installed base and guard against fragmentation**

531 Changes to the Java programming language, the Java virtual machine (JVM,) the Java Native Inter-532 face (JNI,) packages in the "java.*" space, or other packages delivered only as part of Java SE, have 533 the potential to seriously disrupt the installed base if carried out inconsistently across the Platform Edi-534 tions. In order to protect the installed base, any such changes can only be accepted and carried out 535 within an Umbrella JSR (UJSR) for Java SE.

536 In order to guard against fragmentation, new Platform Edition Specifications must not substantially du-537 plicate existing Platform Editions or Profiles.

538 **3.3.1.3 Profiles and API Specifications target current Platform Editions**

All new or revised Specifications must be compatible with the most recent versions of the targeted Platform Edition Specifications. In order to achieve this, all UJSRs to define new Profile Specifications or revise existing Profile Specifications must reference either the most recent Release version of the Platform Edition Specification they are based upon or a newer version of that Specification that is under development via an active UJSR.

544 3.3.1.4 Platform inclusion

JSR submissions are required to state whether the JSR's RI and TCK will be delivered as part of a Profile or Platform Edition, in standalone manner, or both. The final decision as to whether a specific JSR is included in a Profile or a Platform Edition is made by the Spec Lead and Expert Group of the Platform Edition or Profile JSR, and is confirmed by the EC ballots on the relevant JSR. If the Spec Lead for the Platform Edition or Profile JSR turns down a request for inclusion then the JSR must deliver a standalone RI and TCK.

551 Technologies may be incorporated into a Profile or Platform Edition after having been initially delivered 552 standalone. A JSR for a new version of an API that proposes to become part of a Profile or Platform 553 Edition and is considering discontinuing standalone availability must state the rationale for this change 554 and must inform the public of the intention to discontinue the availability of the standalone RI, and TCK 555 one JSR release in advance.

556 **3.3.2 JSR review**

557 When a JSR is received, the PMO shall give it a tracking number, create its JSR Page, announce the 558 proposed JSR to the public, and begin JSR Review. Comments on the JSR should be provided 559 through the JSR's public feedback communication mechanism. Comments shall be forwarded to the 560 EC for its consideration and shall be made available from the JSR Page (similar comments may be 561 consolidated.)

562 Members who are interested in joining the Expert Group or participating as Contributors should identi-563 fy themselves by informing the Spec Lead and the PMO. The Spec Lead is encouraged to actively re-

- 564 cruit EG members and Contributors during this period and to update the JSR Page with the names of 565 those who wish to help, since demonstrating broad interest in and diversity of representation on the 566 JSR will significantly increase the chances of the EC approving it.
- 567 If the Member who holds the Spec Lead position withdraws from the JCP before the JSR is approved 568 the PMO shall request the preliminary Expert Group to choose a replacement.

3.3.2.1 Disclosure of licensing terms

570 The Spec Lead is responsible for developing the Reference Implementation and Technology Compati-571 bility Kit and for licensing them as described in the JSPA. The Spec Lead must provide the EC with complete copies of the proposed Specification, RI, and TCK licenses no later than the start of JSR 572 573 Review. The PMO will publish the licenses on the JSR Page. EC members should provide feedback 574 on the terms as an indication of how the community as a whole might react to the terms. If EC mem-575 bers believe that the proposed licensing terms are not compatible with the licensing guidelines estab-576 lished for use within the JCP, then balloting on the proposed JSR shall be delayed until Oracle legal 577 provides an opinion on the matter.

3.3.3 JSR Approval Ballot and Expert Group formation

579 After the JSR Review EC members shall review the JSR and any comments received, and cast their 580 ballot to decide if the JSR should be approved. 581

If the JSR Approval Ballot fails, the PMO shall send all EC comments to the JSR submitter(s) who may revise the JSR and resubmit it within 14 days. If a revised JSR is not received in that time, the original EC decision shall stand and the JSR shall be closed. If a revised JSR is received, the PMO shall post it to the JSR Page, announce the revised JSR to the public, and send it to all EC members for a JSR Reconsideration Ballot. If that ballot fails, the JSR shall be closed.

588 After JSR approval the PMO instructs the Spec Lead to formally create the Expert Group and to identi-589 fy the Members who will serve as Contributors. The PMO will update the JSR Page accordingly.

590 3.4 Draft releases

3.4.1 Write the first draft of the Specification

592 The Expert Group should begin work by considering the requirements set forth in the JSR, any con-593 tributed documents or technology descriptions, comments received during JSR Review and, if this is a 594 revision of an existing Specification, the Issue List maintained by the Maintenance Lead (see section 595 3.6.) Additional input can be obtained from discussions with other Members, industry groups, software 596 developers, end-users, and academics. The goal is to define requirements and then write a draft 597 Specification suitable for review by the community and the public.

598 When the Expert Group decides that the first draft is ready for review, the Spec Lead shall send the 599 draft, along with any additional files required for review, to the PMO. The Spec Lead should also sug-600 gest the length of the Early Draft Review period if the Expert Group feels it should go beyond the min-601 imum 30 days.

602 Multiple Early Drafts (and Early Draft Reviews) are encouraged where the Expert Group feels that this 603 would be helpful.

604 3.4.2 Early Draft Review

Refinement of the draft Specification begins when the PMO posts it to the JCP Website and announces the start of Early Draft Review. The goal of Early Draft Review is to get the draft Specification into a form suitable for Public Review as quickly as possible by uncovering and correcting major problems with the draft. Early Draft Review is an early-access review, and should ideally take place when the Specification still has some unresolved issues. The public's participation in Early Draft Review is an

- 610 important part of the process since in the past comments from the public have raised fundamental ar-
- 611 chitectural and technological issues that have considerably improved some Specifications.

612 3.4.3 Updating the draft during Early Draft Review

613 If the Expert Group makes major revisions to the draft during Early Draft Review the Spec Lead should

- 614 send the revised draft, along with a synopsis of the changes, to the PMO, which shall publish these 615 online and make them available for download by the public.
- After the Early Draft Review period has ended, the Expert Group can make any additional changes to
- the draft it deems necessary in response to comments before submitting the draft to the PMO for the
- 618 next review.

619 **3.4.4 Public Review**

- 620 Public Review begins when the PMO posts a new draft Specification on the JCP Website and an-621 nounces its availability for public review and comment.
- The Spec Lead is responsible for ensuring that all comments are read and considered. If those comments result in revisions to the draft and those revisions result in major changes (in the opinion of the Expert Group,) then the Spec Lead must send an updated draft (with a summary of the changes) to the PMO at least 10 days before the review period ends. The PMO shall post the new draft and the
- 626 change summary on the JCP Website at least 7 days before the review period ends and shall notify 627 the public that the new draft is available.

628 3.4.5 Public Review Ballot

The Public Review Ballot starts when the Public Review closes. At the close of balloting, all comments submitted by EC members with their ballots shall be circulated to the Expert Group by the PMO.

631 If the Public Draft Specification Ballot fails, the Expert Group will have 30 days to update the draft in 632 response to the concerns raised by the EC and to submit a revised version to the PMO. If a revised 633 draft is not received within 30 days, the original decision by the EC shall stand and the PMO will de-634 clare the JSR closed. If a revision is received, the PMO shall forward it to the EC and initiate a Public 635 Draft Specification Reconsideration Ballot. At the close of balloting, all comments submitted by EC members with their ballots shall be circulated to the Expert Group by the PMO. If this ballot fails, the 636 637 JSR will be closed and the Expert Group will be disbanded. If the JSR was a revision to an existing 638 Specification, the Spec Lead shall resume the role of Maintenance Lead of the current Specification 639 (see section 3.6.)

640 3.5 Final Release

641 3.5.1 Proposed Final Draft

If the Public Review Ballot (or Reconsideration Ballot) is successful, the Expert Group shall prepare
the Proposed Final Draft of the Specification by completing any revisions it deems necessary to respond to comments. The Spec Lead shall then send the Proposed Final Draft to the PMO, which shall
post it on the JCP Website for public download.

646 3.5.2 Complete the RI and TCK

The Spec Lead is responsible for the completion of both the RI and the TCK. JSRs that are targeted at more than one platform are required to support each environment, which may require a separate RI and TCK for each environment. If the RI and TCK uncover areas of the Specification that were underdefined, incomplete, or ambiguous, the Spec Lead shall work with the Expert Group to correct those deficiencies and then send a revised Specification together with a summary of the changes to the PMO. Information shall be posted to the JCP Website. The Expert Group shall continue to consider any further comments received during this time.

654 3.5.3 Establish a first-level TCK Appeals Process

The Spec Lead is also responsible for establishing a clearly defined First Level TCK Appeals Process to address challenges to tests contained in the TCK. This process must be described in the TCK documentation. Implementers who are not satisfied with a first level decision should appeal to the EC by documenting their concerns in an email message to the PMO. The PMO will circulate the request to the EC, together with any information received from the ML concerning the rationale for the first-level decision, and initiate a 7-day Appeal Ballot.

661 **3.5.4 Update the deliverables in response to a TCK appeal**

662 Depending on the nature of the problem, a successful TCK challenge will require updating one or 663 more of the TCK, the Specification, and the RI. Within 30 days of the close of a successful TCK Ap-664 peal Ballot the Maintenance Lead must update these deliverables as necessary and report the chang-665 es to the PMO when the Specification (if changed) and URLs for the updated RI and/or TCK are deliv-666 ered for publication on the JCP Website.

667 3.5.5 Final Approval Ballot

681

682

683

684

685 686

687

688 689

668 When the Expert Group is satisfied that the TCK provides adequate test coverage, the RI correctly im-669 plements the Specification, and the RI passes the TCK, the Spec Lead shall send the Final Draft of 670 the Specification to the PMO together with instructions on how EC members can obtain the RI and 671 TCK for evaluation. The PMO shall circulate the materials to the EC and initiate the Final Approval 672 Ballot. At the close of balloting, all EC comments shall be sent to the Expert Group by the PMO.

In order to assist the PMO in tracking the number of "Active JSRs", at the time of submission of the final materials the Spec Lead shall inform the PMO whether it is expected that the JSR will be further developed via Maintenance Releases or a new follow-on JSR. The TCK submitted as part of the Final Draft must meet the following requirements:

- Include documentation covering configuration and execution of the TCK, any other information needed to use the TCK (e.g. documentation for any supplied tools,) a definition and explanation of the First-level TCK Appeals Process, and the compatibility requirements that must be met in addition to passing the TCK tests
 - The compatibility requirements at a minimum must specify that all compatible implementations

 fully implement the Spec(s) including all required interfaces and functionality, and
 - do not modify, subset, superset, or otherwise extend the Licensor Name Space, or include any public or protected packages, classes, Java interfaces, fields or methods within the Licensor Name Space other than those required/authorized by the Specification or Specifications being implemented.
 - These requirements must apply unless the Specification or TCK explicitly allows exceptions.
 - Be accompanied by a test harness, scripts or other means to automate the test execution and recording of results.
- Include a TCK coverage document that will help EC members to evaluate the TCK's quality. This document should include an overview of the documentation included in the TCK, a description of means used to validate the quality of the TCK, the criteria used to measure TCK test coverage of the Specification, test coverage numbers achieved, and a justification for the adequacy of TCK quality and its test coverage.
- Provide 100% signature test coverage. These tests must ensure that all of the API signatures required by the Specification are completely implemented and that only API signatures required by the Specification are included in the JSR's namespace.
- TCK license terms must permit implementers to freely and publicly discuss the testing process
 and detailed TCK test results with all interested parties.
- If the Final Approval Ballot fails, the Spec Lead will have 30 days to revise the Specification, RI, and
 TCK in response to EC concerns and to resubmit modified materials to the PMO.

- 702 If no responses are received within 30 days the original decision of the EC shall stand, the PMO shall
- rose the JSR, and the Expert Group shall disband. If the JSR was a revision to an existing Specifica-
- tion, the Spec Lead shall resume the role of Maintenance Lead of the current Specification (see sec-
- 705 tion 3.6.)
- If a response is received, the PMO shall circulate it to all EC members for a Final Approval Reconsideration Ballot. At the close of balloting, all ballot comments submitted by EC members shall be circu-
- 708 lated to the Expert Group by the PMO. If the reconsideration ballot fails, the JSR will be closed and the
- 709 Expert Group will disband. If the JSR was a revision to an existing Specification, the Spec Lead will
- resume the role of Maintenance Lead of the current Specification (see section 3.6.).

711 3.5.6 Final Release

- 712 Within 14 days of a successful Final Approval Ballot or Reconsideration Ballot, the PMO shall publish 713 on the JCP Website the Specification and links to information on how to obtain the RI and TCK, and
- shall announce the availability of these materials to both Members and the public. The published TCK
- information must include a means for any interested party to obtain a copy of the TCK documentation
- at no charge. Upon Final Release, the Expert Group will have completed its work and disbands. The
- 717 Spec Lead will typically become the Maintenance Lead and may call upon Expert Group members and
- 718 others for aid in that role.
- The Maintenance Lead must ensure that the links to the RI and TCK remain valid. If the links become non-functional the Maintenance Lead will have 30 days following notification from the PMO to correct
- them. If the problems are not corrected the PMO will initiate a JSR Withdrawal Ballot (if no Mainte-
- nance Release has been completed) or a Maintenance Release Withdrawal Ballot (if a Maintenance
- 723 Release has been made) to determine whether the Maintenance Lead shall be judged to have aban-
- doned the JSR. If the ballot passes the JSR itself or the relevant Maintenance Release will be markedas *withdrawn*.

726 3.6 Maintenance

727 **3.6.1 Maintenance Lead responsibilities**

- The Maintenance Lead is expected to assume long term ownership of the Specification, RI, and TCK while respecting the JCP Members' wishes regard to evolution. A Maintenance Lead shall therefore automatically be the Spec Lead for all significant future revisions to their Specification but shall not have the exclusive right to decide when a significant revision will take place (see section 3.3.1.1.)
- The Maintenance Lead may, however, relinquish the role at any time as described in section 3.2.2.5.
- The public may submit requests for clarification, interpretation, and enhancements to the Specificationby logging issues through the JSR's Issue Tracker.
- The ML shall consider all requests and shall decide how and if the Specification should be updated in
 response. The ML is not required to perform these tasks alone, but is free to consult with the former
 members of the Expert Group, or any other sources, to assist with the Maintenance duties.
- All changes proposed by the ML shall be incorporated into the Specification either through the Maintenance Release process (described below) or through a new JSR. Changes appropriate for a Maintenance Release include bug-fixes, clarifications of the Specification, changes to the implementation of existing APIs, and implementation-specific enhancements. Changes introduced in Maintenance Re-
- leases for example, modifications to existing APIs or the addition of new APIs must not break bina-
- ry compatibility as defined by the Java Language Specification. Changes that would break binary compatibility should therefore be deferred to a new JSR.

745 3.6.2 Maintenance Review

- 746 The Maintenance Lead shall document all proposed Specification changes through the Issue Tracker
- and then send a request to the PMO to initiate a Maintenance Review. This request must be accom-

- 748 panied by an Issue List that summarizes all formal comments that have been received and that indi-
- cates the disposition of each Issue. The Maintenance Lead must also supply a summary of the pro-
- posed Specification changes, ideally in the form of a *diff* between the proposed and the current Speci-
- 751 fication. The Maintenance Lead must also provide an estimate of when the final materials for the
- 752 Maintenance Release will be delivered. If no estimate is provided the deadline will default to 30 days.
- The PMO shall post the materials on the JCP Website for public review. By default the review period is
 30 days, but if time is short the Maintenance Lead may request the PMO to grant an exception and
 reduce the review period to 14 days.
- The Maintenance Lead may choose to modify one or more of the proposed changes based on comments received during the review. If so, the ML must deliver the appropriate modified materials to the PMO no later than 10 days before the close of the review and the PMO must post them online no later than 7 days before the close of the review.

760 **3.6.3 Maintenance Review Ballot**

- At the close of the Maintenance Review the PMO shall initiate a Maintenance Review Ballot. During this ballot EC members should vote 'yes' if they agree that the Maintenance Release should proceed as the Spec Lead has proposed, and 'no' if they have objections to the proposed release on one of the following grounds:
- One or more of the changes proposed by the Maintenance Lead is inappropriate for a Maintenance Release and should be deferred to a follow-on JSR.
- An issue that was referenced in a conditional yes vote (when an EC member voted "yes" with a comment stating the expectation that it would be addressed in the future) has not been addressed.
- The proposed Maintenance Release date is too far in the future. (EC members should bear in mind that many Maintenance Releases need to be synchronized with updates to a Platform, and that a Maintenance Review may therefore need to be carried out significantly in advance of the proposed Platform release.)
- Unreasonable changes have been made to the RI or TCK licensing terms.
- 'No' votes on other grounds shall be rejected by the PMO and shall be considered as abstentions. All
 'no' votes must be accompanied by comments explaining the reason for the vote.
- If the ballot fails, the Maintenance Lead may make any necessary corrections before requesting an other Maintenance Review and ballot. The process may be repeated any number of times.

779 **3.6.4 Maintenance Release**

- 780 After a successful Maintenance Review Ballot the Maintenance Lead will update the Specification, RI,
- TCK, and Issue List as necessary and submit them to the PMO for publication in a Maintenance Re-
- lease. The PMO verifies that the necessary changes have been made, and publishes the Specifica-tion, the Issue List, and pointers to the RI and TCK on the JSR Web Page.
- NOTE: until the Maintenance Release stage is reached any proposed changes should be considered
 preliminary and subject to change, and therefore should not be implemented in shipping products.
- 786 If the Maintenance Lead fails to deliver the final materials within the time-period specified at the begin-787 ning of the Maintenance Review process the PMO shall inform the Maintenance Lead of an impending
- 788 Maintenance Renewal Ballot, and shall request the Maintenance Lead to prepare a public statement
- to the EC that explains the reason for the delay and provides a new deadline. 30 days after this re-
- quest the PMO shall initiate a Maintenance Renewal Ballot to determine whether the deadline may be
- 791 extended as requested or whether the previous Maintenance Review should be rescinded and the
- 792 Maintenance Lead be required to go through another Maintenance Review.

793 **3.7 Executive Committee policies and procedures**

794 **3.7.1 Scope**

The Executive Committee (EC) oversees the development and evolution of the Java technologies within the JCP.

797 **3.7.2 Membership**

- The EC is composed of 25 Java Community Process Members whose seats are allocated as follows:
- 16 Ratified Seats, 6 Elected Seats, and 2 Associate Seats, plus one permanent seat held by Oracle.
- 800 (Oracle's representative must not be a member of the PMO.) The EC is led by a non-voting Chair from 801 the PMO.
- Full Members and Partner Members can run for election to EC seats. Associate JCP Members cannotrun for election.
- No Member may hold more than one seat on the EC. Therefore, should a Member on the EC acquire a majority ownership of another EC member, one of those members must resign his or her seat by the effective date of the acquisition. Similarly, no Member may run for more than one EC seat, nor may more than one individual Member or Partner Member employed by the same employer run for an EC seat.

809 3.7.3 EC duties and responsibilities

- 810 The Executive Committee has the following responsibilities:
- Select JSRs for development within the JCP.
- Review and provide guidance on proposed licensing terms of proposed JSRs.
- Approve draft Specifications after Public Review.
- Ensure that publicly expressed issues/concerns with a JSR are addressed by the Expert Group.
- Give final approval to completed Specifications and their associated RIs and TCKs.
- Decide appeals of first-level TCK test challenges.
- Review proposed maintenance revisions and possibly require some to be carried out in a new JSR.
- Approve the transfer of maintenance duties between Members.
- Decide when JSRs that have not made sufficient progress through the Process should be withdrawn.
- Provide guidance to the PMO and JCP community to promote the efficient operation of the organization and to guide the evolution of Java platforms and technologies. Such guidance may be provided by mechanisms such as publishing white papers, reports, or comments as the EC deems appropriate to express the opinions of one or both Executive Committees.
- Members of the Executive Committee should be dedicated to the principles of full and open competition, in full compliance with all applicable laws, including all antitrust laws of the United States and other nations and governmental bodies as appropriate. Violations of such laws can result in criminal as well as civil penalties for individuals as well as employers, depending on the jurisdiction. In particular, any discussion related to product pricing, methods or channels of distribution, division of markets or allocation of customers, among other subjects, should be avoided.

832 **3.7.4 EC selection process and length of terms**

- 833 EC members serve two-year terms, which are staggered so that half of the seats are up for election
- each year. Full Members and Partner JCP Members vote for the Ratified and Elected Seats. Associate
 JCP Members vote for the Associate Seats.

836 3.7.4.1 Resignation of EC seats

- EC members may resign their seats at any time during their term.
- 838 EC members who fail to remain JCP Members forfeit their EC seat.
- 839 Seats may also be forfeited due to non-attendance at EC meetings, as specified in the EC Standing840 Rules.
- 841 Vacated seats are normally filled for the remainder of their term by a special election ballot that will be
- held no later than two months after the resignation unless the resignation is less than six months be-
- 843 fore the next scheduled annual election ballot.

844 3.7.4.2 Election processes

864

865

All Full Members are eligible to vote in ballots for Ratified and Elected Seats subject to the provision that if a Member has majority-ownership of one or more other Members then that group of Members shall collectively have one vote, which shall be cast by the person they designate to be their representative for the ballot in question. Similarly, if there is more than one individual Full Member with the same employer they will collectively have one vote, which shall be cast by the person they designate to be their representative for the ballot in question.

Annual elections for Ratified, Elected and Associate Seats shall be held simultaneously. Voting in the se elections shall start in the last quarter of the calendar year, four weeks after the close of the nomination period.

In the interest of promoting transparency and participation in the election process the PMO shall organize teleconferences at which the Members have an opportunity to hear from and to ask questions of the candidates. If a suitable venue such as JavaOne is available the PMO shall also organize a public meeting with the same purpose.

3.7.5 Selection process for Ratified Seats

- 861 Members are selected for the Ratified Seats using a ratification ballot which is carried out as follows:
- The PMO nominates Members to fill the vacant Ratified Seats with due regard for balanced community and regional representation.
 - Full and Partner Members will vote to ratify each nominee over a 14-day ballot period.
 - A nominee is ratified by a simple majority of those who cast a vote.
- If one or more of the nominees is not ratified by the vote, the PMO shall nominate additional Members as needed and hold additional ratification ballots until the vacant seats are filled.

3.7.6 Selection process for Elected and Associate Seats

869 Members are selected for the Elected and Associate Seats using an open election process that is car-870 ried out as follows:

- Six weeks before the ballot the PMO shall post on the public JCP site a complete description of all materials (candidate statements, position papers, etc.) that candidates will be expected provide for posting during the election. At the same time the PMO shall announce that nominations will be accepted for a period of at least 14 days.
- Full and Partner Members may nominate themselves for election to these seats. Nominees must
 specify whether they are nominating themselves for an Elected or an Associate Seat.
- Employees of JCP Members cannot run for election in their own right and the PMO shall reject such nominations.
- The PMO will publish the names of all nominees after the nomination period has closed.
- During the ballot Members may vote for as many nominees as there are vacant seats. (Full and
 Partner Members may vote for Elected Seats; Associate members may vote for Associate Seats.)

- The nominees who receive the most votes shall fill the vacant Seats.
- If there is only one nominee for a vacant seat voters shall be given the opportunity to vote "yes" or "no" for that candidate. To be elected the candidate must obtain a simple majority.
- If there is no candidate for a vacant seat the ECs may choose to hold this seat open until the next election.
- Ties shall be decided by following the procedure defined in http://www.ietf.org/rfc/rfc2777.txt and using the calculator provided by W3C in http://www.w3.org/2001/05/rfc2777.

889 3.7.7 JSR ballot rules

895

901

902

907

908

- All JSR ballots shall be conducted electronically and the results made public.
- JSR ballots last 14 days except where otherwise noted in this document.
- EC members may cast three types of votes: "yes", "no" and "abstain". Explicit abstentions are strongly discouraged. In the extreme and most undesirable case, an EC member may not vote at all.
 - Only "yes" and "no" votes count in determining the result of a JSR ballot.
- Any vote may be accompanied by comments (which are particularly encouraged in the case of abstentions.) When comments include specific suggestions for change these should be logged in the Issue Tracker to ensure that they are addressed. "No" votes must be accompanied by references to the Issue Tracker items (if any) that if resolved would persuade the member to change the vote to "yes".
 - JSR ballots are approved if (a) a majority of the votes cast are "yes" votes, and (b) a minimum of 5 "yes" votes are cast. Ballots are otherwise rejected.
- Ballots to approve Umbrella JSRs that define the initial version of a new Platform Edition Specification or JSRs that propose changes to the Java language are approved if (a) at least a two-thirds majority of the votes cast are "yes" votes, (b) a minimum of 5 "yes" votes are cast, and (c) Oracle casts one of the "yes" votes. Ballots are otherwise rejected.
 - When a failed JSR ballot results in the closing of a JSR, at least 30 days must pass before the JSR can be re-initiated.
- EC ballots to override a first-level decision on a TCK challenge are approved if (a) at least a twothirds majority of the votes cast are "yes" votes, and (b) a minimum of 5 "yes" votes are cast.

912 APPENDIX A: REVISING THE JCP AND THE JSPA

- Revisions to the Java Community Process (this document) and the Java Specification Participation
 Agreement shall be carried out using the Java Community Process with the following changes:
- Only EC members can initiate a JSR to revise one of these documents.
- The EC must approve the JSR.
- The Expert Group consists of all EC members with a member of the PMO as Spec Lead.
- There is no Reference Implementation or Technology Compatibility Kit to be delivered and no TCK appeals process to be defined.
- Although no TCK is required for process-change JSRs it is still necessary to verify whether these
 JSRs are implemented completely, correctly, and successfully.
- In addition to the modified documents (the Process Document and/or the JSPA) the Expert Group
 shall therefore publish a *JSR Review and Evaluation* form containing evaluation questions relating to
 each non-trivial change introduced by the JSR.
- Within 12 months of completing the JSR the EC must to use this form to review and evaluate the implementation of the JSR. The EC should then take any actions it might think necessary to correct or improve any identified problems or omissions. In the interests of transparency the results of the review and a summary of all follow-on actions taken must be made public.

931 APPENDIX B: TRANSITIONING TO JCP 2.10

932

In the previous version (2.9) of this Process Document there were only two different types of EC seats:
 Ratified and Elected. In JCP 2.10 two of the existing Elected Seats will be reclassified as a third type:
 Associate Seats, which will be voted on by the new Associate members.

In order to ensure sufficient time to transition existing individual members to the new membership
classes (either Full Members with a signed Employer Contribution Agreement or Associate Members),
and to recruit a significant number of new Associate Members, the first election to be held under the
JCP 2.10 rules will be in 2016.

940 The transition from Elected Seats to Associate Seats must be performed in a manner that is fair to all
941 Elected members; consequently all of those members will be required to run for reelection in 2016
942 when the new Associate Seats will be created.

943 Candidates in the 2015 annual elections were informed that if elected their term would be for only a

single year, since all candidates must stand for re-election in 2016. Members elected in 2016 will be

ranked to determine whether their initial term will be one or two years. The 50% of Elected and Asso-

ciate members who receive the most votes will serve an initial two-year term, while all others will serve

an initial one year term. All members elected in 2017 and subsequently will serve a two-year term.